

Date: Friday, 23/05/2008 12:41:36 PM  
User: Julie Lincocq

## Process Sheet

*Split into  
8308/06/26*

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : LITTER TIE DOWN ASS'Y (LOCKING) - UNDER REVIEW
Job Number : 39455 - 1	
Estimate Number : 10495	
P.O. Number :	Part Number : D2360
This Issue : 23/05/2008 S.O. No. :	Drawing Number : D2360REVD,D2341REVF
Prsht Rev. : NC	Project Number : N/A
First Issue : 1/1 Type : MACHINED PARTS	Drawing Revision : D/F
Previous Run : 36750	Material :
Written By :	Due Date : 15/06/2008 Qty: <u>1</u> Um: Each
Checked & Approved By : <u>JULIE LINCOCQ</u>	
Comment : est rev H 07.06.12 ecn 825 EC	

## Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	D6201	"T" Extrusion
-----	-------	---------------



Comment: Qty.: 1.1067 f(s)/Unit Total: 6.6402 f(s)  
Material: D6201 (6061-T6 (QQ-A-200/8) 4" x 4" x 3/8" Thick 'T' extrusion)  
Batch: B36793 *mk 08/06/21* (6)

2.0	BAND SAW	BAND SAW
-----	----------	----------



Comment: BAND SAW  
Cut blanks: 12.65" Long *mk 08/06/21* (6)

3.0	HAAS1	HAAS CNC VERTICAL MACHINING #1
-----	-------	--------------------------------



Comment: HAAS CNC VERTICAL MACHINING #1  
Machine as per Folio D2341 and Dwg D2341 *mk 08/06/22* (6)

4.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--



Comment: INSPECT PARTS AS THEY COME OFF MACHINE *mk 08/06/22* (6)

5.0	QC8	SECOND CHECK
-----	-----	--------------



Comment: SECOND CHECK *mk 08-06-23* (6)

6.0	HAAS1	HAAS CNC VERTICAL MACHINING #1
-----	-------	--------------------------------



Comment: HAAS CNC VERTICAL MACHINING #1  
Deburr and Tumble *mk 08-06-23*





# Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: LITTER TIE DOWN ASS'Y (LOCKING) - UNDER REVIEW

Job Number: 39455

Part Number: D2360

Job Number:



Seq. #:

Machine Or Operation:

Description :

7.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

*ala S 08/06/23*

8.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Chemical Conversion Coat as per QSI 005 4.1

*M-1 08/06/24*

*6X*

9.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3

*M 107925*

START TIME:

*11:45*

OVEN TEMPERATURE:

*320*

FINISH TIME:

*12:15*

*BR 08-06-26 6*

10.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

*EB 08/06/26*

11.0

D2002015

Knob



Comment: Qty.: 2.0000 Each(s)/Unit Total: 12.0000 Each(s)

Knob

*B 161773*

*EB 08/06/26*

12.0

D2345

Lock Channel



Comment: Qty.: 1.0000 Each(s)/Unit Total: 6.0000 Each(s)

Lock Channel

*B 36577 (5X)*

*B 39474 (1X)*

*EB 08/06/26*

13.0

D2366

Lock Handle



Comment: Qty.: 2.0000 Each(s)/Unit Total: 12.0000 Each(s)

Inventory

*B 37431*

*EB 08/06/26*

14.0

D2367

Handle Knob



Comment: Qty.: 1.0000 Each(s)/Unit Total: 6.0000 Each(s)

Inventory

*B 33794*

*EB 08/06/26*





## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: LITTER TIE DOWN ASS'Y (LOCKING) - UNDER REVIEW

Job Number: 39455

Part Number: D2360

Job Number:



Seq. #: Machine Or Operation: Description :

15.0 D2372 Quick Release

Comment: Qty.: 2.0000 Each(s)/Unit Total: 12.0000 Each(s)  
Quick Release *B39456**EB08/06/26*

16.0 D2373 Spring

Comment: Qty.: 1.0000 Each(s)/Unit Total: 6.0000 Each(s)  
Spring *B36922**EB08/06/26*

17.0 D2444 Pip Pin Assembly

Comment: Qty.: 1.0000 Each(s)/Unit Total: 6.0000 Each(s)  
Pip Pin Assembly *B38895**EB08/06/26*

18.0 AN526C1032R18 Screw

Comment: Qty.: 1.0000 Each(s)/Unit Total: 6.0000 Each(s)  
Screw *M4523*  
*M10600* *M30TT**EB08/06/26*

19.0 AN960JD10 Washer

Comment: Qty.: 2.0000 Each(s)/Unit Total: 12.0000 Each(s)  
Washer *M108077**EB08/06/26*

20.0 AN960JD10L Washer

Comment: Qty.: 8.0000 Each(s)/Unit Total: 48.0000 Each(s)  
Washer *M104885**EB08/06/26*

21.0 MS20470AD34 Rivet, Universal Head

Comment: Qty.: 1.0000 Each(s)/Unit Total: 6.0000 Each(s)  
Rivet, Universal Head *M15541**EB08/06/26*

22.0 MS21042L3 Nut

Comment: Qty.: 3.0000 Each(s)/Unit Total: 18.0000 Each(s)  
Nut *M107665**EB08/06/26*

Handwritten text, likely bleed-through from the reverse side of the page.

Handwritten text, likely bleed-through from the reverse side of the page.

Handwritten text, likely bleed-through from the reverse side of the page.

Handwritten text, likely bleed-through from the reverse side of the page.



## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: LITTER TIE DOWN ASS'Y (LOCKING) - UNDER REVIEW

Job Number: 39455

Part Number: D2360

Job Number:



Seq. #:

Machine Or Operation:

Description :

23.0

MS27039113

Screw



Comment: Qty.: 1.0000 Each(s)/Unit Total : 6.0000 Each(s)  
Screw M105211

EB08/06/26

24.0

MS27039115

Screw



Comment: Qty.: 2.0000 Each(s)/Unit Total : 12.0000 Each(s)  
Screw M106903

EB08/06/26

25.0

NAS679A3W

Nut



Comment: Qty.: 1.0000 Each(s)/Unit Total : 6.0000 Each(s)  
Nut M1463

EB08/06/26

26.0

SMALL FAB 1

SMALL &amp; MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1  
Assemble as per dwg D2360

EB08/06/26

27.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

S08/06/26

28.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1  
Identify and Stock  
Location: \_\_\_\_\_

8/6/26

(x)

SP

29.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

08/06/26

Job Completion



mf 08-06-26





<b>DART AEROSPACE LTD</b>		<b>Work Order:</b> 37455
<b>Description:</b> Litter Tie Down Bracket (Locking)		<b>Part Number:</b> D2341
<b>Inspection Dwg:</b> D2341	<b>Rev:</b> F	<b>Page 1 of 1</b>

### FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
1.500	+/-0.010	1.501	✓			
1.000	+/-0.010	1.000	✓			
Ø0.242	+0.005/-0.001	Ø0.243	✓			
Ø0.191	+0.005/-0.001	Ø0.193	✓			
R0.250	+/-0.010	R.250	✓			
1.700	+/-0.010					
0.750	+/-0.010	.753	✓			
2.750	+/-0.010	2.755	✓			
11.000	+/-0.005	10.997	✓			
5.500	+/-0.010	5.496	✓			
1.584	+/-0.010	1.589	✓			
Ø0.191	+0.005/-0.001	Ø0.193	✓			
2.610	+/-0.010	2.615	✓			
0.844	+/-0.010	.844	✓			
1.250	+/-0.010	1.254	✓			
0.750	+/-0.010	.754	✓			
12.500	+/-0.010	12.502	✓			
3.313	+/-0.010	3.316	✓			
4.250	+/-0.010	4.249	✓			
0.400	+/-0.010	.400	✓			

**Measured by:** JML  
**Date:** 08/06/22

**Audited by:** DJH  
**Date:** 08/06/22

**Prototype Approval:** N/A  
**Date:** N/A

Rev	Date	Change	Revised by	Approved
A	06.05.24	New Issue	KJ/JLM	
B	07.07.17	Dwg Rev. updated	KJ/JLM	







DESIGN <b>BW</b>	DRAWN BY <b>CB</b>	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
CHECKED <b>CE</b>	APPROVED <b>HA</b>	DRAWING NO. D2360	REV. D SHEET 1 OF 2
DATE 07.06.06		TITLE LITTER TIE DOWN ASSEMBLY (LOCKING) NTS	
A	95.02.10	NEW ISSUE	
B	95.02.20	RE-DESIGN	
C	97.08.27	ADD MS20470AD3-4 RIVET	
D	07.06.06	D2002-015 WAS D2376; SECTION B-B QTY(2) AN960JD10 WAS QTY(3) QTY(8) AN960JD10L WAS QTY(5)	

RELEASED

07.06.07

**PARTS LIST:**

QTY	PART NUMBER	DESCRIPTION
X	D2360	LITTER TIE DOWN ASSEMBLY (LOCKING)
1	D2341	LITTER TIE DOWN (LOCKING)
1	D2345	LOCK CHANNEL
2	D2366	LOCK HANDLE
1	D2367	KNOB (DELRIN)
2	D2372	QUICK RELEASE FASTENERS
1	D2373	SPRING
2	D2002-015	KNOB (DELRIN)
1	D2444	PIP PIN
1	AN526C1032R18	SCREW
2	AN960JD10	WASHER
8	AN960JD10L	WASHER
1	MS20470AD3-4	RIVET
3	MS21042L3	NUT (OR MS21042-3)
1	MS27039-1-13	SCREW
2	MS27039-1-15	SCREW
1	NAS679A3W	NUT

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 21455

Copyright © 1995 by DART AEROSPACE LTD



THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.





**DART**

DESIGN BW	DRAWN BY JC	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED B	APPROVED H	DRAWING NO. D2341	REV. F SHEET 1 OF 1
DATE 07.06.07		TITLE LITTER TIE DOWN BRACKET (LOCKING)	SCALE 1:2
A	95.01.13	NEW ISSUE	
B	95.02.14	MODIFIED LOCK	
D	95.02.20	CHANGES TO DIAMETERS	
E	97.10.01	CHANGES FOR MACHINING	
F	07.06.07	REVISED NOTES; FINISH WAS ANODIZE	

**D2341 LITTER TIE DOWN BRACKET (LOCKING)**

- 1) MATERIAL: MAKE FROM D6201-0125 EXTRUSION (6061-T6/T651 PER QQ-A-200/B)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT WHITE (REF. 4.3.5.1) PER QSI 005 4.3
- 3) BREAK ALL SHARP EDGES TO 0.005 TO 0.010
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) IDENTIFY WITH DART P/N "D2341" USING FINE POINT PERMANENT INK MARKER

**RELEASED**


07.06.22






**DART**


DESIGN <b>BW</b>	DRAWN BY <b>CB</b>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <b>CE</b>	APPROVED <b>H</b>	DRAWING NO. D2360	REV. 1 SHEET 2 OF 2
DATE 07.06.06	TITLE LITTER TIE DOWN ASSEMBLY (LOCKING) NTS		



### D2360 LITTER TIE DOWN ASSEMBLY (LOCKING)



**SECTION A-A**  
(SCALE 1:1)



**SECTION B-B**  
(SCALE 1:1)

STOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED  
SUBJECT TO AMEND  
WITHOUT NOTICE  
WORK ORDER  
NO. 013

Copyright © 1995 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

